Online store WWW.LYNXGEAR.LV Company: SIA LATLYNX info@lynxgear.lv, +371 26159668 Reg. No. 45403038162, VAT Reg. No. LV45403038162, Legal address: Baznīcas iela 8, Aizkraukle, Aizkraukles novads, LV-5101, LATVIJA Bank Account: LV87UNLA0050021387494 AS SEB Bank, SWIFT: UNLALV2X





Not Rated Yet

Sales price 865,00 €

Salesprice with discount Incl. VAT 21%: 150,12 €

Interior: 72.2 × 44.2 × 27 cm Exterior: 80.1 × 52.1 × 31.7 cm

1-4 Weeks \star \star \star \star



Sensitive equipment needs protection, and since 1976 the answer has been the Peli™ Protector Case. These cases are designed rugged, and travel the harshest environments on earth. Against the extreme cold of the arctic or the heat of battle, Peli cases have survived.

These tough cases are designed with an automatic purge valve, that equalizes air pressure, a watertight silicone O-ring lid, over-molded rubber handles and stainless steel hardware. Overview:

- 2 level Pick N Pluck™ with convoluted lid foam
- 4 Strong polyurethane wheels with stainless steel bearings
- Watertight, crushproof, and dustproof
- Open cell core with solid wall design strong, light weight
- Retractable extension trolley handle
- Easy open double-throw latches
- Fold down handles
- Stainless steel hardware and padlock protectors
- Automatic Pressure Equalization Valve balances interior pressure, keeps water out
- O-ring seal
- Made in Germany

Online store WWW.LYNXGEAR.LV Company: SIA LATLYNX info@lynxgear.lv, +371 26159668 Reg. No. 45403038162, VAT Reg. No. LV45403038162, Legal address: Baznīcas iela 8, Aizkraukle, Aizkraukles novads, LV-5101, LATVIJA Bank Account: LV87UNLA0050021387494 AS SEB Bank, SWIFT: UNLALV2X

ORDER CONFIRMATION

SPECIFICATION

DIMENSIONS:

Interior (L×W×D) 28.41 x 17.40" x 10.64 (72.2 x 44.2 x 27 cm)
Exterior (L×W×D) 31.55 x 20.51" x 12.47 (80.1 x 52.1 x 31.7 cm)
Lid Depth 1.81" (4.6 cm)
Bottom Depth 8.84" (22.5 cm)
Total Depth 10.65" (27.1 cm)
Int Volume 3.04 ft³ (0.086 m³)
Padlock Hole Diameter 8 mm

MATERIALS:

Body: Polypropylene Latch: ABS O-Ring: Polymer Pins: Stainless Steel Foam: 1.3 lb Polyurethane Purge Body: ABS Purge Vent: 3 Micron Hydrophobic Non-Woven

COLORS: black, OD green, Desert tan **WEIGHT:**

Weight With Foam 28.06 lbs (12.7 kg) Weight Empty 24.03 lbs (10.9 kg) Buoyancy 181.00 lbs (82.1 kg)

TEMPERATURE :

Minimum Temperature -40°F (-40 °C) Maximum Temperature 210°F (99 °C) CERTIFICATIONS: IP67

MIL C-4150J Def Stan 81-41 STANAG 4280 ATA 300

OTHER:

Wheels 4 Extendable Handle yes Master Pack 1 Nameplate yes Military yes

Several accessories are available with seperate request: photo/lid organizer, padded devider set, replacement foam set, replacement O-ring, TrekPak Case Divider Kit Documents:

- <u>DEF STAN 81 41</u>
- <u>1620 IP67</u>
- MIL STD 810G Fungus Test



ORDERCONFTRMATIONMade in Germany. Brand country USA.

All trademarks are registered and/or unregistered trademarks of Peli Products, S.L.U., its parent, subsidiaries and/or affiliates.