

Online store WWW.LYNXGEAR.LV Company: SIA LATLYNX

info@lynxgear.lv, +371 26159668 Reg. No. 45403038162, VAT Reg. No.

LV45403038162,

Legal address: Baznīcas iela 8, Aizkraukle, Aizkraukles novads, LV-5101, LATVIJA

Bank Account: LV87UNLA0050021387494 AS SEB Bank, SWIFT: UNLALV2X

Not Rated Yet

Sales price 1650,00 €

Salesprice with discount Incl. VAT 21%: 286,36 €

Interior: $120.8 \times 61.1 \times 44.9$ cm Exterior: $129.7 \times 70 \times 57.9$

cm









Description

PELI 0550 Protector Transport Case

- Massive storage capacity: Over 11 ft³ (0.311 m³)
- IP55 certified: Resistant to rain, dirt, and dust
- Forklift, wheel, or hand transport ready
- Stacking optimized: Six cases per 463L military pallet, 18 when stacked
- Durable build: Reinforced honeycomb lid and deck
- Military-tested: Meets MIL STD 810G fungus resistance
- Peli Lifetime Guarantee*

The **PELI 0550 Protector Transport Case** is designed for professionals who need to **move**, **store**, **and protect large volumes of equipment** in the harshest conditions. With over 11 cubic feet (0.311 m³) of storage, this transport case is ideal for **military**, **industrial**, **construction**, **and field operations**. Its **reinforced honeycomb deck and lid** support heavy loads and allow for stable stacking on standard 463L pallets, making it a true workhorse for global deployment.

Built with Peli's legendary open cell core and solid wall design, the case is both lightweight and extremely strong. The dual integrated automatic pressure equalization valves ensure smooth opening at any altitude, while the O-ring seal guarantees IP55-rated resistance against water and dust.

Page 1/3

Online store WWW.LYNXGEAR.LV Company: SIA LATLYNX

info@lynxgear.lv, +371 26159668 Reg. No. 45403038162, VAT Reg. No. LV45403038162,

Legal address: Baznīcas iela 8, Aizkraukle, Aizkraukles novads, LV-5101, LATVIJA

Bank Account: LV87UNLA0050021387494 AS SEB Bank, SWIFT: UNLALV2X

ORDER CONFIRMATION

Heavy-duty **metal lidstays** keep the case open safely during loading, while **double-throw latches** and **stainless steel hardware** provide security and long-term durability.

The PELI 0550 is the ultimate solution for:

- Military logistics teams transporting mission-critical equipment worldwide.
- Construction and engineering companies needing rugged storage for tools, instruments, and electronics.
- **Emergency response units** requiring quick access to organized gear in adverse conditions.
- Industrial and offshore operations where durability and water/dust protection are critical.

This transport case is engineered for **extreme environments and heavy-duty use**. It can be moved:

- By forklift: Reinforced base structure supports heavy handling.
- By caster wheels: Optional kit available with integrated brakes.
- By hand: Ergonomic double-wide grips for team lifting.

It also supports document storage in an external container, giving operators quick access to manuals, manifests, or mission paperwork without opening the main compartment.

Specifications

-	
Interior Dimensions	$120.8 \times 61.1 \times 44.9 \text{ cm}$
Exterior Dimensions	$129.7 \times 70 \times 57.9 \text{ cm}$
Lid Depth	8.1 cm
Bottom Depth	36.8 cm
Total Depth	44.9 cm
Interior Volume	0.332 m ³
Padlock Hole Diameter	0.8 cm
Weight With Foam	43.1 kg
Weight Empty	35.9 kg
Buoyancy	371.9 kg
Body Material	Polypropylene
Latch Material	ABS
O-Ring Material	Polymer
Pins Material	Stainless Steel
Purge System	ABS body, 3 Micron Hydrophobic Non-
	Woven vent
Minimum Temperature	-40°F / -40°C
Maximum Temperature	190°F / 88°C
Certifications	Zone 20

Approvals & Certifications

• MIL STD 810G Fungus Test: View Certificate

Page 2/3



Online store WWW.LYNXGEAR.LV
Company: SIA LATLYNX
info@lynxgear.lv, +371 26159668
Reg. No. 45403038162, VAT Reg. No.
LV45403038162,

Legal address: Baznīcas iela 8, Aizkraukle, Aizkraukles novads, LV-5101, LATVIJA

Bank Account: LV87UNLA0050021387494 AS SEB Bank, SWIFT: UNLALV2X

ORDER CONFIRMATION

Zone 20 Certification: For use in hazardous or industrial environments.

Note: Peli's lifetime guarantee applies where permitted by law.

Downloads

Download Spec Sheet (.pdf)

Manufacturer

Peli Products, S.L.U.

c/ Provença, 388, Planta 7 08025 Barcelona, Spain

Customer support: Contact Page

© Peli Products S.L.U. Specifications may change without notice for product

improvement.

Page 3/3