



Online store WWW.LYNXGEAR.LV
Company: SIA LATLYNX
info@lynxgear.lv, +371 26159668
Reg. No. 45403038162, VAT Reg. No.
LV45403038162,
Legal address: Baznicas iela 8,
Aizkraukle, Aizkraukles novads,
LV-5101, LATVIJA
Bank Account: LV87UNLA0050021387494
AS SEB Bank, SWIFT: UNLALV2X

ORDER CONFIRMATION

Not Rated Yet



Sales price 510,00 €

Salesprice with discount

Incl. VAT 21%: 88,51 €

Interior: 47.1 × 25.2 × 27.7
cm Exterior: 53 × 32.3 × 32.4
cm

1-4 Weeks



Description

Sensitive equipment needs protection, and since 1976 the answer has been the Peli™ Protector Case. These cases are designed rugged, and travel the harshest environments on earth. Against the extreme cold of the arctic or the heat of battle, Peli cases have survived.

These tough cases are designed with an automatic purge valve, that equalizes air pressure, a watertight silicone O-ring lid, over-molded rubber handles and stainless steel hardware.

Overview:

- Top lid opens up to 180° for on-the-field anti-roll stability when open
- Adjustable and removable tray dividers for easy customization
- Tray sizes: Top tray 17.65" x 8.2" x 2.4" (44.83 x 20.83 x 6.10 cm) and bottom tray 17.3" x 8.0" x 2.3" (43.94 x 20.32 x 5.84 cm)
- Watertight, crushproof, and dustproof
- Open cell core with solid wall design - strong, light weight
- Easy open double-throw latches
- Fold down handles



Online store WWW.LYNXGEAR.LV
Company: SIA LATLYNX
info@lynxgear.lv, +371 26159668
Reg. No. 45403038162, VAT Reg. No.
LV45403038162,
Legal address: Baznīcas iela 8,
Aizkraukle, Aizkraukles novads,
LV-5101, LATVIJA
Bank Account: LV87UNLA0050021387494
AS SEB Bank, SWIFT: UNLALV2X

ORDER CONFIRMATION

- Comfortable rubber over-molded top and side handles
- Stainless steel hardware and padlock protectors
- Automatic Pressure Equalization Valve - balances interior pressure, keeps water out
- O-ring seal
- Made in USA

SPECIFICATION

DIMENSIONS:

Interior (L×W×D) 18.54 x 9.92" x 10.92 (47.1 x 25.2 x 27.7 cm)
Exterior (L×W×D) 20.85 x 12.73" x 12.75 (53 x 32.3 x 32.4 cm)
Lid Depth 4.91" (12.5 cm)
Bottom Depth 6.01" (15.3 cm)
Total Depth 10.92" (27.7 cm)
Int Volume 1.16 ft³ (0.033 m³)
Padlock Hole Diameter 8 mm

MATERIALS:

Body: Polypropylene
Latch: ABS
O-Ring: Polymer
Pins: Stainless Steel
Foam: 1.3 lb Polyurethane
Purge Body: ABS
Purge Vent: 3 Micron Hydrophobic Non-Woven

COLORS: black, Desert tan, yellow

WEIGHT:

Weight With Foam 13.00 lbs (5.9 kg)
Weight Empty 8.75 lbs (4 kg)
Buoyancy 82.00 lbs (37.2 kg)

TEMPERATURE:

Minimum Temperature -40°F (-40 °C)
Maximum Temperature 210°F (99 °C)

CERTIFICATIONS:

IP66

OTHER:

Military yes

Several accessories are available with separate request: replacement foam set

Documents:

- [MIL STD 810G Fungus Test](#)

Made in USA.

All trademarks are registered and/or unregistered trademarks of Peli



Online store WWW.LYNXGEAR.LV

Company: **SIA LATLYNX**

info@lynxgear.lv, +371 26159668

Reg. No. 45403038162, VAT Reg. No.

LV45403038162,

Legal address: Baznīcas iela 8,

Aizkraukle, Aizkraukles novads,

LV-5101, LATVIJA

Bank Account: LV87UNLA0050021387494

AS SEB Bank, SWIFT: UNLALV2X

ORDER CONFIRMATION

Products, S.L.U., its parent, subsidiaries and/or affiliates.