

Online store WWW.LYNXGEAR.LV Company: SIA LATLYNX

info@lynxgear.lv, +371 26159668 Reg. No. 45403038162, VAT Reg. No. Req. No.

LV45403038162,

ORDER

Legal address: Baznīcas iela 8, Aizkraukle, Aizkraukles novads, LV-5101, LATVIJA

Bank Account: LV87UNLA0050021387494 AS SEB Bank, SWIFT: UNLALV2X

CONFIRMATION

Not Rated Yet

# Sales price 550,00 €

Salesprice with discount Incl. VAT 21%: 95,45 €

> Interior:  $50.2 \times 27.9 \times 19.3$ cm Exterior:  $55.9 \times 35.1 \times$

22.9 cm







# Description

Sensitive equipment needs protection, and since 1976 the answer has been the  $Peli^{m}$  Protector Case. These cases are designed rugged, and travel the harshest environments on earth. Against the extreme cold of the arctic or the heat of battle, Peli cases have survived.

These tough cases are designed with an automatic purge valve, that equalizes air pressure, a watertight silicone O-ring lid, over-molded rubber handles and stainless steel hardware. Overview:

- Fits notebook computers up to 14.4" x 11.1" x 1.7" (36.58 x 28.19 x 4.32 cm)
- 2 in 1 protection: detachable computer sleeve and accessories pouch
- Maximum airline carry on size\* (\* Check with your airline for exact measurement requirements.)
- Strong polyurethane wheels with stainless steel bearings
- Watertight, crushproof, and dustproof
- Open cell core with solid wall design strong, light weight
- Retractable extension trolley handle
- Easy open double-throw latches
- Fold down handles
- Comfortable rubber over-molded top and side handles
- Stainless steel hardware and padlock protectors
- Automatic Pressure Equalization Valve balances interior pressure, keeps water out

Page 1/3

# Online store WWW.LYNXGEAR.LV Company: SIA LATLYNX info@lynxgear.lv, +371 26159668 Reg. No. 45403038162, VAT Reg. No. LV45403038162,

Legal address: Baznīcas iela 8, Aizkraukle, Aizkraukles novads, LV-5101, LATVIJA

Bank Account: LV87UNLA0050021387494 AS SEB Bank, SWIFT: UNLALV2X

# <u>ORDER CONFTRMATTON</u>

- O-ring seal
- Made in USA

# **SPECIFICATION**

#### **DIMENSIONS:**

Interior (L×W×D) 19.75 x 11.00" x 7.60 (50.2 x 27.9 x 19.3 cm) Exterior (L×W×D) 22.00 x 13.81" x 9.00 (55.9 x 35.1 x 22.9 cm) Lid Depth 1.79" (4.5 cm) Bottom Depth 5.79" (14.7 cm) Total Depth 7.58" (19.3 cm) Int Volume  $0.96 \text{ ft}^3 (0.027 \text{ m}^3)$ Padlock Hole Diameter 8 mm

#### MATERIALS:

Body: Polypropylene

Latch: ABS

O-Ring: Polymer

Pins: Stainless Steel Foam: 1.3 lb Polyurethane

Purge Body: ABS

Purge Vent: 3 Micron Hydrophobic Non-Woven

COLORS: black, Desert tan, yellow

WEIGHT:

Weight With Foam 13.60 lbs (6.2 kg) Weight Empty 11.99 lbs (5.4 kg) Buoyancy 64.15 lbs (29.1 kg)

# TEMPERATURE:

Minimum Temperature -40°F (-40 °C) Maximum Temperature 210°F (99 °C)

## **CERTIFICATIONS:**

IP67

Def Stan 81-41 STANAG 4280

## OTHER:

Wheels 2 Extendable Handle yes Master Pack 2 Nameplate yes Military yes

Several accessories are available with seperate request: lid organizer, padded devider set, replacement foam set, replacement O-ring, TrekPak Case Divider Kit (1510EUTP), EZ-Click™ MOLLE Panel (1510MP)

## Documents:

- DEF STAN 81 41
- 1620 IP67

Page 2/3



Online store WWW.LYNXGEAR.LV Company: SIA LATLYNX info@lynxgear.lv, +371 26159668 Reg. No. 45403038162, VAT Reg. No. LV45403038162,

Legal address: Baznīcas iela 8, Aizkraukle, Aizkraukles novads, LV-5101, LATVIJA Bank Account: LV87UNLA0050021387494 AS SEB Bank, SWIFT: UNLALV2X

# ORDER CONFTRMATTON MIL STD 810G Fungus Test

Made in USA.

All trademarks are registered and/or unregistered trademarks of Peli Products, S.L.U., its parent, subsidiaries and/or affiliates.

Page 3/3