



Online store WWW.LYNXGEAR.LV
Company: SIA LATLYNX
info@lynxgear.lv, +371 26159668
Reg. No. 45403038162, VAT Reg. No.
LV45403038162,
Legal address: Baznicas iela 8,
Aizkraukle, Aizkraukles novads,
LV-5101, LATVIJA
Bank Account: LV87UNLA0050021387494
AS SEB Bank, SWIFT: UNLALV2X

ORDER CONFIRMATION

Not Rated Yet

Sales price 699,95 €

Salesprice with discount

Incl. VAT 21%: 121,48 €



1-4 Weeks



Description

Sensitive equipment needs protection, and since 1976 the answer has been the Peli™ Protector Case. These cases are designed rugged, and travel the harshest environments on earth. Against the extreme cold of the arctic or the heat of battle, Peli cases have survived.

Made in the USA, these tough cases are designed with an automatic purge valve, that equalizes air pressure, a watertight silicone O-ring lid, over-molded rubber handles and stainless steel hardware.

- 4 strong polyurethane wheels with stainless steel bearings (wheel diameter is 5.3cm)
- Stackable
- Watertight, crushproof, and dustproof
- Reinforced corners
- Open cell core with solid wall design - strong, light weight
- 3 level Pick N Pluck™ with convoluted lid foam
- Retractable extension handle
- Easy open Double Throw latches
- Fold down handles
- Stainless steel padlock protectors
- Automatic Pressure Equalization Valve - balances interior pressure, keeps water out
- Peli's legendary lifetime guarantee**
- O-ring seal
- Note: Please consult a sales specialist for more details.



Online store WWW.LYNXGEAR.LV
Company: SIA LATLYNX
info@lynxgear.lv, +371 26159668
Reg. No. 45403038162, VAT Reg. No.
LV45403038162,
Legal address: Baznicas iela 8,
Aizkraukle, Aizkraukles novads,
LV-5101, LATVIJA
Bank Account: LV87UNLA0050021387494
AS SEB Bank, SWIFT: UNLALV2X

ORDER CONFIRMATION

- * Where applicable by law

Specification:

- Interior (L×W×D): 70.4 x 53.3 x 39.4 cm
- Exterior (L×W×D): 79.5 x 61.5 x 44.4 cm
- Lid Depth: 8.3 cm
- Bottom Depth: 30.8 cm
- Total Depth: 39.1 cm
- Int Volume: 0.148 m³

- Padlock Hole Diameter: 8 mm

- Weight With Foa: 16.3 kg

- Weight Empt: 14.1 kg

- Buoyanc: 158.8 kg

- Wheels: 4

- Extendable Handle: yes

Body Material Polypropylene

Latch Material ABS

O-Ring Material Polymer

Pins Material Stainless Steel

Foam Material 1.3 lb Polyurethane

Purge Body Material ABS

Purge Vent Material 3 Micron Hydrophobic Non-Woven

Foam Layer 1 (Lid) 8.1 cm - Convolute

Foam Layer 2 (Base) 9.5 cm - Pick N Pluck (1.0" x 1.0" squares)

Foam Layer 3 (Base) 9.5 cm - Pick N Pluck (1.0" x 1.0" squares)

Foam Layer 4 (Base) 9.5 cm - Pick N Pluck (1.0" x 1.0" squares)

Foam Layer 5 (Base) 2.5 cm - Solid

Minimum Temperature -40° F (-40 ° C)

Maximum Temperature 210° F (99 ° C)

Certifications IP67 / STANAG 4280 / Def Stan 81-41

CERTIFICATES

[1630 ATA300](#)

[1630 DEF STAN 81-41](#)

[1630 IP67](#)

[1630 MIL C 4150J](#)

[MIL-STD-810G Fungus Test](#)



Online store WWW.LYNXGEAR.LV

Company: SIA LATLYNX

info@lynxgear.lv, +371 26159668

Reg. No. 45403038162, VAT Reg. No.

LV45403038162,

Legal address: Baznicas iela 8,

Aizkraukle, Aizkraukles novads,

LV-5101, LATVIJA

Bank Account: LV87UNLA0050021387494

AS SEB Bank, SWIFT: UNLALV2X

ORDER CONFIRMATION

Made in U.S.