

Online store WWW.LYNXGEAR.LV Company: SIA LATLYNX

info@lynxgear.lv, +371 26159668 Reg. No. 45403038162, VAT Reg. No. Req. No. LV45403038162,

Legal address: Baznīcas iela 8, Aizkraukle, Aizkraukles novads, LV-5101, LATVIJA

Bank Account: LV87UNLA0050021387494 AS SEB Bank, SWIFT: UNLALV2X

ORDER CONFIRMATION

Not Rated Yet



Sales price 550,00 €

Salesprice with discount Incl. VAT 21%: 95,45 €

> Interior: $72.2 \times 44.2 \times 27$ cm Exterior: $80.1 \times 52.1 \times 31.7$





Description

Sensitive equipment needs protection, and since 1976 the answer has been the $Peli^{m}$ Protector Case. These cases are designed rugged, and travel the harshest environments on earth. Against the extreme cold of the arctic or the heat of battle, Peli cases have survived.

These tough cases are designed with an automatic purge valve, that equalizes air pressure, a watertight silicone O-ring lid, over-molded rubber handles and stainless steel hardware. Overview:

- 2 level Pick N Pluck™ with convoluted lid foam
- 4 Strong polyurethane wheels with stainless steel bearings
- Watertight, crushproof, and dustproof
- Open cell core with solid wall design strong, light weight
- Retractable extension trolley handle
- Easy open double-throw latches
- Fold down handles
- Stainless steel hardware and padlock protectors
- Automatic Pressure Equalization Valve balances interior pressure, keeps water out
- O-ring seal
- Made in Germany

SPECIFICATION

Page 1/3

Online store WWW.LYNXGEAR.LV Company: SIA LATLYNX

info@lynxgear.lv, +371 26159668 Reg. No. 45403038162, VAT Reg. No. LV45403038162,

Legal address: Baznīcas iela 8, Aizkraukle, Aizkraukles novads, LV-5101, LATVIJA

Bank Account: LV87UNLA0050021387494 AS SEB Bank, SWIFT: UNLALV2X

<u>ORDER CONFTRMATTON</u>

DIMENSIONS:

Interior (L×W×D) 28.41 x 17.40" x 10.64 (72.2 x 44.2 x 27 cm) Exterior (L×W×D) 31.55×20.51 " x 12.47 (80.1 x 52.1×31.7 cm) Lid Depth 1.81" (4.6 cm) Bottom Depth 8.84" (22.5 cm) Total Depth 10.65" (27.1 cm) Int Volume $3.04 \text{ ft}^3 \text{ (0.086 m}^3\text{)}$ Padlock Hole Diameter 8 mm

MATERIALS:

Body: Polypropylene

Latch: ABS

O-Ring: Polymer

Pins: Stainless Steel Foam: 1.3 lb Polyurethane

Purge Body: ABS

Purge Vent: 3 Micron Hydrophobic Non-Woven

COLORS: black, OD green, Desert tan

WEIGHT:

Weight With Foam 28.06 lbs (12.7 kg) Weight Empty 24.03 lbs (10.9 kg) Buoyancy 181.00 lbs (82.1 kg)

TEMPERATURE:

Minimum Temperature -40°F (-40 °C) Maximum Temperature 210°F (99 °C)

CERTIFICATIONS:

IP67 MIL C-4150J Def Stan 81-41 STANAG 4280 ATA 300

OTHER:

Wheels 4 Extendable Handle yes Master Pack 1 Nameplate yes Military yes

Several accessories are available with seperate request: photo/lid organizer, padded devider set, replacement foam set, replacement O-ring, TrekPak Case Divider Kit

Documents:

- DEF STAN 81 41
- 1620 IP67
- MIL STD 810G Fungus Test

Made in Germany. Brand country USA.

Page 2/3



Online store WWW.LYNXGEAR.LV
Company: SIA LATLYNX
info@lynxgear.lv, +371 26159668
Reg. No. 45403038162, VAT Reg. No. LV45403038162,

Legal address: Baznīcas iela 8, Aizkraukle, Aizkraukles novads, LV-5101, LATVIJA Bank Account: LV87UNLA0050021387494 AS SEB Bank, SWIFT: UNLALV2X

ORDER CONFIRMATION
All trademarks are registered and/or unregistered trademarks of Peli Products, S.L.U., its parent, subsidiaries and/or affiliates.

Page 3/3