

Online store WWW.LYNXGEAR.LV Company: SIA LATLYNX

info@lynxgear.lv, +371 26159668 Reg. No. 45403038162, VAT Reg. No.

LV45403038162,

Legal address: Baznīcas iela 8, Aizkraukle, Aizkraukles novads, LV-5101, LATVIJA

Bank Account: LV87UNLA0050021387494 AS SEB Bank, SWIFT: UNLALV2X

#### ORDER CONFIRMATION

Not Rated Yet







# Description


# Plastica Panaro MAX1090H410GUN-R - Certified Waterproof Case for 14 Rifles

The Plastica Panaro MAX1090H410GUN-R is a certified waterproof rifle transport case engineered for professional, military and law-enforcement applications where reliability is non-negotiable. Compliant with IP67, STANAG 4280, DEF STAN 81-41 and MIL-STD-810, it shields weapons and optics from water, dust, impact and pressure changes. A removable lid (R) with 12 latches (or optional 12 butterfly steel latches) delivers rapid access, while double wheels and multiple handles simplify one- or two-person transport.

# **Key Features**

- Capacity: fits 14 rifles and 56 loaders (AR15, LWMG, LWMMG families) with optics/accessories mounted
- Removable lid (R): side handles on lid for safe removal/handling after unlatching
- Watertight seal with polymer O-ring and automatic pressure release valve
- Easy-open double-throw latches (option: butterfly steel latches)
- Load-tested soft-grip handle; bottom-side handles for two-person carry
- Double wheels and large fold-down handle for rolling transport
- Full-length hinges with 30% fiberglass-filled nylon pins; stackable

Page 1/3



Company: SIA LATLYNX info@lynxgear.lv, +371 26159668 Reg. No. 45403038162, VAT Reg. No. LV45403038162,

Legal address: Baznīcas iela 8, Aizkraukle, Aizkraukles novads, LV-5101, LATVIJA

Bank Account: LV87UNLA0050021387494 AS SEB Bank, SWIFT: UNLALV2X

### <u>ORDER CONFIRMATION</u>

• Security: holes for double padlocking; lockable aluminium cross bar over foam inlay

Made in Italy

## Standards & Certifications

- IP67 dust-tight and protected against immersion (1 m / 30 min)
- STANAG 4280 / DEF STAN 81-41 NATO/UK military transport standards
- MIL-STD-810 environmental durability compliance
- ATA300 Cat. 1 suitable for repeated air transport
- UN4H2 eligible for dangerous goods (e.g., Li-ion) transport (line compliance family)


# Technical Specifications

Model	MAX1090H410GUN-R
External dimensions	1178 × 780 × 447 mm (46.38 × 30.70 × 17.60 in)
Internal dimensions	1090 × 680 × 410 mm (42.91 × 26.77 × 16.14 in)
Cover depth / Bottom	200 + 210 mm (7.67 + 8.26 in)
Capacity (volume)	300 L
Weight	25.36 kg
Materials	Body: Polypropylene • Latches: Nylon • O-ring: Polymer • Wheel pins: Stainless steel • Foam: Polyurethane • Cross bar: Aluminium
Construction	Injection-moulded copolymer with reinforced hinges and stackable geometry
Mobility	Double wheels • Large fold-down trolley handle • Bottom-side carry handles
Security	Padlockable points • Lockable aluminium cross bar for foam inlay
Protection	IP67 watertight • Automatic pressure equalization valve
Country of Origin	Italy

# **Applications**

Optimised for armouries, units on deployment, range logistics, and secure

Page 2/3



Legal address: Baznīcas iela 8, Aizkraukle, Aizkraukles novads, LV-5101, LATVIJA

Bank Account: LV87UNLA0050021387494 AS SEB Bank, SWIFT: UNLALV2X

# ORDER CONFIRMATION

evidence or service transport. The foam inlay supports ready-to-deploy storage with optics and accessories mounted, reducing prep time and handling risk.

### Downloads

- <u>Datasheet (PDF)</u>
- 2D Drawing (PDF)
- MIL-STD-810 (PDF)

# Glossary

- Double-throw latches: Lever action for firm closure with minimal effort.
- Pressure valve: Balances internal/external pressure to prevent vacuum lock after altitude/temperature changes.
- Stackable design: Interlocking shell geometry for secure stacking during storage and transport.

# Manufacturer / Contact

Plastica Panaro S.r.1.

Via delle Scienze 313 41058 Vignola (MO), Italy Website: Contact Form

© Plastica Panaro S.r.l. Specifications may change without notice for product improvement.

Page 3/3