



Online store [WWW.LYNXGEAR.LV](http://WWW.LYNXGEAR.LV)  
Company: SIA LATLYNX  
info@lynxgear.lv, +371 26159668  
Reg. No. 45403038162, VAT Reg. No.  
LV45403038162,  
Legal address: Baznicas iela 8,  
Aizkraukle, Aizkraukles novads,  
LV-5101, LATVIJA  
Bank Account: LV87UNLA0050021387494  
AS SEB Bank, SWIFT: UNLALV2X

---

## ORDER CONFIRMATION

---

Not Rated Yet



**Sales price 199,95 €**

Salesprice with discount

Incl. VAT 21%: 34,70 €



### Description

Plastica Panaro MAX cases are IP67 certified, tough, durable and reliable. They may be used in a variety of applications, ranging from marine, photography, scuba diving, hunting, fishing, special corps and even the manufacturing industry. These cases offer superior protection from the elements, water, dust and impacts, making them suitable for a wide array of sectors and applications.

- Waterproof and dustproof
- IP67 and STANAG 4280 certified
- Watertight seal around lid
- Automatic pressure release valve
- Easy to open double throw latches
- Load tested soft grip handle
- Holes for double padlocking
- Stackable interlocking system
- Thick body material
- Fully length hinges
- Nylon pins, corrosion free
- Cubed foams in the bottom and convoluted foams in the lid available as standard
- Screen printing space and rectangular resin label space on the lid
- Body and handle: polypropylene copolymer



Online store [WWW.LYNXGEAR.LV](http://WWW.LYNXGEAR.LV)  
Company: SIA LATLYNX  
info@lynxgear.lv, +371 26159668  
Reg. No. 45403038162, VAT Reg. No.  
LV45403038162,  
Legal address: Baznicas iela 8,  
Aizkraukle, Aizkraukles novads,  
LV-5101, LATVIJA  
Bank Account: LV87UNLA0050021387494  
AS SEB Bank, SWIFT: UNLALV2X

---

## ORDER CONFIRMATION

---

- Latches: nylon
- Pins (for locks): nylon + 30% fiberglass - Pins (for wheels):  
Stainless steel
- O-ring: polymer
- Volume: 49 l

Versions:

### 1) MAX505 H280 with extendable handle

EXTERNAL DIMENSIONS OF THE PRODUCT: 555 x 428 x H306 mm (21.85 x 16.85 x H12.04 inch)

INTERNAL DIMENSIONS OF THE PRODUCT: 500 x 350 x H280 mm (19.69 x 13.78 x H11 inch)

LID-BOTTOM DEPTH: 58 + 222 mm (2.28 + 8.74 inch)

WEIGHT W/O FOAM: 5.1 kg - 11.24 lbs.

WEIGHT WITH FOAM: 6.03 kg - 13.30 lbs.

CARTON DIMENSIONS: 580X270X470mm - 22.83x10.63x18.50 inch

PCS PER CARTON: 1

WEIGHT OF THE FULL CARTON W/O FOAMS: 6.0 kg - 13.22 lbs.

WEIGHT OF THE FULL CARTON WITH FOAMS: 6.93 kg - 15.27 lbs.

MOLDING: injection molding

RANGE TEMPERATURE: -30 / 90°C (-22 / 194°F)

FEATURES: IP67 COSTUMIZATION: personalized nameplate/resin label

ACCESSORIES: cubed foams, lid organizer, padded dividers, padded shoulder strap

### 2) MAX505 H280 with extendable handle

EXTERNAL DIMENSIONS OF THE PRODUCT: 555 x 437 x H326 mm (21.85 x 17.20 x H12.84 inch)

INTERNAL DIMENSIONS OF THE PRODUCT: 500 x 350 x H280 mm (19.69 x 13.78 x H11 inch)

LID-BOTTOM DEPTH: 58 + 222 mm (2.28 + 8.74 inch)

WEIGHT W/O FOAM: 6.1 kg - 13.44 lbs.

WEIGHT WITH FOAM: 7.03 kg - 15.50 lbs.

CARTON DIMENSIONS: 580X270X470mm - 22.83x10.63x18.50 inch

PCS PER CARTON: 1

WEIGHT OF THE FULL CARTON W/O FOAMS: 7.0 kg - 15.43 lbs.

WEIGHT OF THE FULL CARTON WITH FOAMS: 7.93 kg - 17.48 lbs.

MOLDING: injection molding

RANGE TEMPERATURE: -30 / 90°C (-22 / 194°F)

FEATURES: IP67 COSTUMIZATION: personalized nameplate/resin label

ACCESSORIES: cubed foams, lid organizer, padded dividers, padded shoulder strap

### Foam option information:

Pick N Pluck foams in the bottom and convoluted foam in the lid available as standard. Custom foam available upon request.

Foam set configuration:

1 base foam 40mm ( 1 x 1.57 inch)

3 cubed foams 60mm (3 x 2.36 inch)

1 lid convoluted foam 55mm (2.16 inch)

Padded dividers for this box are available.



Online store [WWW.LYNXGEAR.LV](http://WWW.LYNXGEAR.LV)

Company: SIA LATLYNX

info@lynxgear.lv, +371 26159668

Reg. No. 45403038162, VAT Reg. No.

LV45403038162,

Legal address: Baznicas iela 8,

Aizkraukle, Aizkraukles novads,

LV-5101, LATVIJA

Bank Account: LV87UNLA0050021387494

AS SEB Bank, SWIFT: UNLALV2X

---

## ORDER CONFIRMATION

---

Made in Italy.