



Online store WWW.LYNXGEAR.LV
Company: SIA LATLYNX
info@lynxgear.lv, +371 26159668
Reg. No. 45403038162, VAT Reg. No.
LV45403038162,
Legal address: Baznīcas iela 8,
Aizkraukle, Aizkraukles novads,
LV-5101, LATVIJA
Bank Account: LV87UNLA0050021387494
AS SEB Bank, SWIFT: UNLALV2X

ORDER CONFIRMATION

Not Rated Yet

Sales price 39,95 €

Salesprice with discount

Discount -15,00 €

Incl. VAT 21%: 6,93 €



Lightweight, easy to adjust
poles for nordic walking. Sold
as a pair.



Description

The Speed Hike poles are lightweight, adjustable poles designed for nordic walking. Terra Nova trekking poles are designed to be as light as possible and use 7075 aluminium alloy (because of its strength-to-weight ratio) to achieve this. Their low weight means you have more energy available to enjoy your chosen activity. The 2 section Speed Hike poles are easy to adjust - even when wearing gloves, thanks to the clip lock system which holds the sections firmly in place when closed. The clips can be quickly opened allowing the poles to be adjusted with minimum fuss. The lightweight, comfortable EVA handle has a shaped padded, neoprene wrist strap for added security. Comes with a removable trekking basket and protective rubber ferrule for the tungsten tip. Sold as a pair.

Specification

- Packed Weight: 259 g
- 2 section pole with clip locks enabling easy adjustment
- Made with 7075 aluminium alloy
- Lightweight and comfortable EVA handle and shaped neoprene padded wrist strap.
- Removable trekking basket



Online store WWW.LYNXGEAR.LV
Company: SIA LATLYNX
info@lynxgear.lv, +371 26159668
Reg. No. 45403038162, VAT Reg. No.
LV45403038162,
Legal address: Baznīcas iela 8,
Aizkraukle, Aizkraukles novads,
LV-5101, LATVIJA
Bank Account: LV87UNLA0050021387494
AS SEB Bank, SWIFT: UNLALV2X

ORDER CONFIRMATION

- Tungsten tip with protective rubber ferrule
- Maximum Adjustable Length 142cm

Guarantee

This product is guaranteed to the original owner against defects in materials and workmanship for a period of 2 years from purchase.